

2008 Lygus Small Plot Efficacy Trial
University of Arizona Maricopa Agricultural Center
Peter C. Ellsworth, Ph.D.
24 November 2008

The 2008 Lygus small plot efficacy trial was marked by a large number of entries (18), steady and earlier populations of Lygus than normal, and excellent yield potential given the typically late planting date. The fall was warm and open and provided for significant compensation by the plants, well after Lygus exited the field. To counter this, we attempted to terminate the irrigations early and accelerate defoliation. The result was the earliest harvest for this trial in 15 years and one of my earlier "final" reports to cooperators (and nearly 5 months sooner than last year!).

Pressure

The previous two years (2006 & 2007) had some of the lowest Lygus pressures we have ever seen in our small plot trials, despite our best efforts to place this trial at greater than commercially normal risk. While Lygus were at best low to moderate statewide in 2008, we were able to challenge this trial with significant pressures for at least 5–6 weeks. Our Lygus trial reached a maximum density of Lygus around 80 total Lygus per 100 sweeps, above 2006 (43/100) and well above 2007 (16/100) but still well short of maxima seen in prior years (up to 200/100).

Whitefly pressure in this trial was exceptionally high, among the highest in recent years. Efforts were made to selectively control whiteflies in this trial (except for T13-T18) with two sprays of Intruder and one spray of Knack. This regime was more than adequate to eliminate whiteflies as a major confounding factor of the design. However, it should be noted that whiteflies were actually yield-limiting this year as demonstrated by the difference between our completely untreated plots (T0) and our untreated Lygus check (T12), which did receive whitefly maintenance sprays with the rest of the test.

Timing

Generally, we try to time our sprays according to University of Arizona guidelines of 15 total Lygus with 4 nymphs per 100 sweeps (i.e. '15:4'). After two years of exceptionally low densities of Lygus, I made the decision to delay the first application somewhat for the core treatments in this trial (T2-T11). Based on the data, we estimate that threshold-level Lygus may have been present by 1 August. T2-T11 were initiated 11 d later on 12 August. T13-T18 were jointly evaluated for whitefly and Lygus suppression and as a result were initiated on 24 July (T13-T17) and 6 August (T18) well before the rest of the entries. The final spray was made on 5 September for all entries and was likely both effective and timely in that Lygus exited the field shortly thereafter due to cessation of flowering. This spray likely contributed to yield protection, but less so than earlier sprays made during the peak blooming period.

As noted in the tables, sprays were made on different timings. However, most all entries re-triggered based on the 15:4 threshold at the same time and were therefore sprayed on the same dates. Thus, the major difference among entries is the total number of sprays made against Lygus (3, 4, or 5 times). Keep this in mind when reviewing the yield data. Had we made the initial spray on a timely basis, I believe that 4 or 5 sprays would have likely been necessary to maximize yield.

Weather

Generally, weather was very favorable to cotton development in this trial. Some early losses (in this late planting) were evident to heat stress, but thereafter conditions were quite good. The monsoon was exceptionally active in Arizona this year, generally among the top 10 wettest on record. This had only limited bearing on this trial, though late dust storms contributed to a reduction in all pest pressures, especially whiteflies and mites.

This balance of this report is told mainly through a series of self-explanatory tables and figures:

Figure 1, Field map.

Replicates run N to S as our *Lygus* pressures often distribute along this axis (with the water runs). You should note here that anything planted in border 106 ended up in a piece of ground that behaved significantly differently than the other borders. This was noticeable even by the start of the test with shorter stunted plants, which seemed to be subject to more severe water stress. Unfortunately, this source of variation runs counter to our blocking and therefore our bug and yield results are affected. I attempted to eliminate this bias by excluding these data in analyses, but the resulting unbalance in the design prevented any new or different statistical inferences.

Table 1, List of treatments, 18 total with UTC-*Lygus* (T12) and the totally untreated (T0).

Note that in some tables, I have provided comparable data from the adjacent whitefly trial. However, these entries were receiving whitefly insecticides earlier and were sprayed just twice (and not enough) for *Lygus*. These treatments (including the UTC from that test, UTC-wf) were not included in the analyses of *Lygus* data.

Table 2, Spray summary

This table shows the actual dates of sprays made for each entry (as indicated by '•'). One weed spray, one PGR (two were likely needed), and two defoliations (one was likely adequate) were made in a maintenance fashion across the entire trial (except T0 did not receive a PGR).

Table 3, Samples summary

There were 5 weekly samples taken from all treatments and an additional 3 weeks of samples taken from the early-started entries (T13–T18). This table is color-coded to emphasize what treatments can be compared head-to-head.

Table 4a, ANOVA summary for *Lygus* variables

Note while there were often significant treatment effects, the separation of means in some cases was minimal. This reflects some of the inherent variation noted above in the ground in the trial. Please note that statistics on date by date data were performed on sqrt-transformed data and on log-transformed data for the seasonal mean. Please also note the abbreviation conventions observed throughout this report.

Typically we do not see large "adult" effects, at least not directly. However, over time, we often see a reduction in the recruitment to this life stage via nymphal control. So there is often a time lag before adult effects are seen. In this case, the impact of the early spray regimes (T13-T18) helped to pull this out as an effect 3 weeks into the trial.

Table 4b, Seasonal means for Lygus numbers

These are averages of 5 post-spray weekly samples. Again, note that our threshold is 15:4 or 15 total Lygus with 4 nymphs per 100 sweeps, and that T13-T18 were initiated sooner than the remaining entries. In general, holding numbers below or about 20 total Lygus with 8 nymphs per 100 sweeps would be indicative of excellent control potential. You should also note that our 2-spray regime (Carbine) in the whitefly test (Trt No. > T18) was inadequate to control Lygus in that test.

Table 4c, Means and ANOVA results for yield components

Data are for raw seedcotton per A, bales per A (based on plot specific gin turnouts), gin turnout (%), trash (%), and % lint, this latter variable tends to be relatively constant for a given variety and set of production practices. We individually gin grab-samples taken from each plot's harvest in a scaled-down version of a commercial gin.

In 2007 for the first time ever, we were unable to separate yield means from the UTC because of the very low Lygus pressure. However, this year (2008) there were large and significant yield effects. Two additional things were apparent in this year's test: 1) whiteflies were yield-limiting, reducing yield by about 3/4 bale (compare T12 to T0), and 2) delaying sprays by just 11 d (i.e., relative to threshold) likely cost our main Lygus entries (T2-T11) at least 1/2 bale (compare T15-T17 to T9).

As is typical, Lygus bug numbers are highly correlated with yield. In this case, I have provided a quick regression between seasonal average nymph numbers and sdctn/A. The fit is fairly good and can reveal to you some instances where yield was either lower or higher than expected relative to the bug numbers. Restricting the analysis just to one product and timing (T13–T18) and the UTC-Lygus (T12) to eliminate noise associated with variable control and other confounding factors (e.g., secondary pests), the fit is especially good and reveals the importance of nymphs in the Lygus density : yield relationship.

On 2 October, a plant lodging rating was conducted by blindly visiting plots and subjectively assigning a value of 1 (no lodging) to 5 (severe or complete lodging). These data sometimes serve as a good proxy for yield, i.e., more severely lodged plants are ones more heavily loaded with bolls. The lodging ratings track very closely to yields, with just one notable exception. Eliminating that exception (T3) results in an exceptionally good fit to the data ($R^2 = 0.91$). The result for T3 is anomalous. This was the high rate of Carbine combined with a moderate rate of V10170, in both cases higher than the rates used in T5 which yielded more by 200 lbs and showed moderate lodging. This level of difference in seed cotton yields is not large and might not be noticeable except for the definite departure in the lodging ratings. It is very difficult to interpret this result. Interference between the two compounds at high rates might be one explanation. However, the bug counts were significantly lower in T3. In fact, T3 had the lowest nymphal counts of any treatment. Mites and whiteflies were significant secondary pests throughout this trial, and their greater abundance in some treatments might be one factor contributing to variation seen in yields. In this case, whiteflies were well-controlled in T3 and T5; however, mites were possibly higher in T3. Mite ratings were taken too late in the season, after the infestation abated, and were not informative.

Table 5, Means and statistical tests for all Lygus bug variables (multi-page table)

All the post-treatment sample dates are available in this multi-page table. There are interesting trends throughout these date by date data. Note, all the means presented in this table are

sqrt-transformed. If you wish to examine the actual means, you will have to consult the Excel table provided as an attachment. However, the seasonal means (table 4b) and log-transformed seasonal means (table 6a) are also provided and show good separation of treatments.

Color-coding is used to guide your comparisons. Two statistical tests are presented: a Tukey's HSD, which tests all means against each other, and a Dunnett's T, which examines paired comparisons of candidate treatments to the UTC.

All products showed some amount of significant Lygus activity on at least one date and one variable, but at varying degrees, regardless of the number of sprays made. All bug results are consistent with the resulting yield trends, except again in T3 which yielded considerably less than would have been predicted.

Table 6a, Means and statistical tests for seasonal average transformed Lygus bug variables

All seasonal average bug variables were log-transformed and analyzed.

Table 6b, Means and statistical tests for transformed yield and ginning parameters

This table provides the specific statistical results for yield parameters seen in Table 4c.

In addition to this narrative and tables, you should find an Excel table attached that contains the date by date and seasonal means for the Lygus numbers. The additional columns provided are the SEs for the means.

In sum, the Lygus efficacy trial was very successful in challenging this set of insecticide treatments. As sprays were initiated in many cases well after the threshold had been reached, this test should be viewed as a robust assessment of the control potential for these compounds. In nearly all cases, the seasonal bug counts and yield results provide the best understanding of the comparable performance of these materials and rates.

Let me know if you have any questions, and thank you for your support. I will be in touch with each of you early next year to discuss plans for 2009.

2008 F3 Lygus

Located in Field 3 border 100-106



100 101 102 103 104 105 106

30 ft Turn around

Test Design

Planted DP164B2RF on
5/21/08
and watered up on
5/27/08

Plots

12 rows by 39ft with
8ft alleys and 2 row
skips between plots.

Treatments

- T0 = UTC-UTC
- T2 = Carbine r2
- T3 = Carbine r2+ V10170 r2
- T4 = V10170 r3
- T5 = Carbine r1 + V10170 r1
- T6 = BAS32005I r1
- T7 = BAS32005I r1*
- T8 = BAS32005I r2
- T9 = BAS32005I r2*
- T10 = Vydate C-LV
- T11 = Orthene97 + X-77
- T12 = UTC-Lygus

- T13 = UA-EXP32 r1**
- T14 = UA-EXP32 r2**
- T15 = UA-EXP32 r3**
- T16 = UA-EXP32 r4**
- T17 = UA-EXP32 r5**
- T18 = UA-EXP32 r6**

**Whitefly
+ Lygus**

103	257	258	263	264	269	270
104	256	259	262	265	268	271
78	255	260	261	266	267	272
239	240	243	244	248	249	254
238	241	242	245	247	250	253
237	222	227	228	246	251	252
221	223	226	229	232	233	236
220	224	225	230	231	234	235
219	203	204	209	210	215	216
25	202	205	208	211	214	217
26	201	206	207	212	213	218

Road

5 ft Buffer

9/16/08 VB

* + Penetrator Plus(0.5%)

** + UAN32(2.5%) + Dyne-Amic(0.5%)

Table 1. Treatment summary for 2008 small plot Lygus efficacy trial, Maricopa, AZ (08F3L) of 34

Trt No.	Name	Product	Formulation	Rate	No. of Sprays†
0	UTC - UTC				0
2	flonicamid r2	Carbine r2	50 WG	0.088	3
3	flonicamid r2 +	Carbine r2 +	50 WG	0.088	3
	V10170r2	V10170r2	2.13 SC	0.047	
4	V10170 r3	V10170 r3	2.13 SC	0.075	3
5	flonicamid r1+	Carbine r1+	50 WG	0.045	3
	V10170r1	V10170 r1	2.13 SC	0.03	
6	metaflumizone r1	BAS32000I r1	1.67 EC	0.21	3
7	metaflumizone r1*	BAS32000I r1	1.67 EC	0.21	3
8	metaflumizone r2	BAS32000I r2	1.67 EC	0.25	3
9	metaflumizone r2*	BAS32000I r2	1.67 EC	0.25	3
10	oxamyl	Vydate C-LV	3.77 L	1	3
11	acephate***	Orthene97	97 PE	1	3
12	UTC-Lygus	Intruder 2X fb Knack			0
13	UA-EXP32r1**			0.011	5
14	UA-EXP32r2**			0.022	5
15	UA-EXP32r3**			0.033	5
16	UA-EXP32r4**			0.045	5
17	UA-EXP32r5**			0.067	5
18	acetamiprid fb	Intruder fb	70 WSP	0.1	1
	UA-EXP32r6**			0.089	4
44	UTC-wf				0

*, 0.5% Penetrator Plus added; **, 2.5% UAN32 + 0.5% Dyne-Namic added; ***, 0.25% X-77 added.

†Sprays initiated at ca. threshold; see Table 2.

Table 2. Summary of sprays made in 2008 small plot Lygus efficacy trial, Maricopa, AZ (08F3L).

Trt No.	Treatment	No. Sprays	6/16/08	7/24/08	7/24/08	8/6/08	8/12/08	8/26/08	8/26/08	9/5/08	10/7/08	10/15/08
0	UTC - UTC	0	glyphosate								8 oz Ginstar	8 oz Ginstar
2	CarbineR2	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
3	CarbineR2+V10170r2	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
4	V10170r3	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
5	CarbineR1+V10170r1	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
6	BAS32005I r1	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
7	BAS32005I r1*	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
8	BAS32005I r2	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
9	BAS32005I r2*	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
10	Vydate C-LV	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
11	Orthene97***	3	glyphosate	Pentia	Intruder	Intruder	•	Knack	•	•	8 oz Ginstar	8 oz Ginstar
12	UTC-Lygus	0	glyphosate	Pentia	Intruder	Intruder		Knack			8 oz Ginstar	8 oz Ginstar
13	UA-EXP32r1**	5*	glyphosate	Pentia	•	•	•		•	•	8 oz Ginstar	8 oz Ginstar
14	UA-EXP32r2**	5*	glyphosate	Pentia	•	•	•		•	•	8 oz Ginstar	8 oz Ginstar
15	UA-EXP32r3**	5*	glyphosate	Pentia	•	•	•		•	•	8 oz Ginstar	8 oz Ginstar
16	UA-EXP32r4**	5*	glyphosate	Pentia	•	•	•		•	•	8 oz Ginstar	8 oz Ginstar
17	UA-EXP32r5**	5*	glyphosate	Pentia	•	•	•		•	•	8 oz Ginstar	8 oz Ginstar
18	UA-EXP32r6**	4*	glyphosate	Pentia	Intruder	•	•		•	•	8 oz Ginstar	8 oz Ginstar
44	UTC-wf	2	glyphosate	Pentia	Carbine				Carbine		8 oz Ginstar	8 oz Ginstar

* +0.5% Penetrator Plus,
 **+2.5% UAN32 + 0.5%
 Dyne-Namic, ***+ 0.25% X-
 77

*Some
 triggered
 for wf
 control

weed control

12 oz/A;
 PGR

wf spray;
 2.3 oz/A;
 all >
 threshold

wf
 spray;
 2.3 oz/A

1st
 Lygus
 spray

wf
 spray; 8
 oz/A

2nd
 Lygus
 spray

3rd Lygus
 spray

1st
 Defoliation

2nd
 Defoliation

Table 3. Summary of sample dates and number of days after treatment (#DAT), Maricopa, AZ (08F3L).

Trt No.	Treatment	No. Sprays	No.							
			8/1/08	8/5/08	8/13/08	8/18/08	8/25/08	9/3/08	9/10/08	9/18/08
0	UTC - UTC	0								
2	flonicamid	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
3	flonicamid r2 + V10170r2	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
4	V10170 r3	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
5	flonicamid r1 + V10170r1	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
6	metaflumizone r1	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
7	metaflumizone r1*	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
8	metaflumizone r2	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
9	metaflumizone r2*	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
10	oxamyl	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
11	acephate***	3	Pretrt	Pretrt	Pretrt	6DAT	13DAT	8DAT2	5DAT3	13DAT3
12	UTC-Lygus	0								
13	UA-EXP32r1**	5	8DAT	12DAT	1DAT3	6DAT3	13DAT3	8DAT4	5DAT5	13DAT5
14	UA-EXP32r2**	5	8DAT	12DAT	1DAT3	6DAT3	13DAT3	8DAT4	5DAT5	13DAT5
15	UA-EXP32r3**	5	8DAT	12DAT	1DAT3	6DAT3	13DAT3	8DAT4	5DAT5	13DAT5
16	UA-EXP32r4**	5	8DAT	12DAT	1DAT3	6DAT3	13DAT3	8DAT4	5DAT5	13DAT5
17	UA-EXP32r5**	5	8DAT	12DAT	1DAT3	6DAT3	13DAT3	8DAT4	5DAT5	13DAT5
18	UA-EXP32r6**	4	Pretrt	Pretrt	1DAT2	6DAT2	13DAT2	8DAT3	5DAT4	13DAT4
44	UTC-wf	2	8DAT	12DAT	20DAT	25DAT	32DAT	8DAT2	15DAT2	23DAT2

*,**,*** Various adjuvants added

Table 4a. Test for treatment effects on sqrt-transformed Lygus variables by means 08F3L, Maricopa, AZ

Date	ANOVA	S/100	L/100	N/100	A/100	T/100
8/1/08	P=	0.0055	0.1794	0.0005	0.1235	0.0055
8/5/08	P=	0.7928	0.0651	0.2793	0.9495	0.4518
8/13/08	P=	0.0167	0.0005	0.0008	0.0012	0.0001
8/18/08	P=	0.0191	0.0001	0.0001	0.0554	0.0001
8/25/08	P=	0.1832	0.0877	0.0728	0.0116	0.0101
9/3/08	P=	0.0048	0.024	0.003	0.0074	0.004
9/10/08	P=	0.1336	0.0001	0.0001	0.0324	0.0001
9/18/08	P=	0.0597	0.0914	0.0177	0.0086	0.0037
Seasonal*	P=	0.0014	0.0001	0.0001	0.002	0.0001

S/100 = Small nymphs (instars 1-3) per 100 sweeps.

L/100 = Large nymphs (instars 4-5) per 100 sweeps.

N/100 = All nymphs (instars 1-5) per 100 sweeps.

A/100 = Adult Lygus per 100 sweeps.

T/100 = Total Lygus per 100 sweeps.

* = Log-transformed mean of 5 weeks post-spray for all treatments (see note below).

Note: T12-T17 were initiated 19 d & T18 was 6 d sooner than other Lygus treatments.

Table 4b. Seasonal means and treatment effects for log-transformed means by ANOVA, 08F3L, Maricopa, AZ.

Trts	Product	N Rows	S/100	L/100	N/100	A/100	T/100
0	UTC - UTC	4	9.2	13	22.2	31.2	53.4
2	Carbine r2	4	3.8	2.8	6.6	13.2	19.8
3	Carbr2+170r2	4	1.6	1	2.6	13.4	16
4	V10170 r3	4	4.6	4.4	9	12.8	21.8
5	Carbr1+170r1	4	7.4	7.2	14.6	18	32.6
6	BAS320r1	4	10.4	8	18.4	22	40.4
7	BAS320+PPr1	4	7.2	7.8	15	17.2	32.2
8	BAS320r2	4	2.2	2.8	5	11.2	16.2
9	BAS320+PPr2	4	4.4	3.6	8	13	21
10	VydateCLV	4	8.2	2.4	10.6	16.4	27
11	O97+X77	4	7	6	13	22.2	35.2
12	UTC-Lygus	4	7.2	12.2	19.4	17	36.4
13	UA-EXP32r1**	4	4.6	5.2	9.8	14	23.8
14	UA-EXP32r2**	4	6.4	7.4	13.8	19.8	33.6
15	UA-EXP32r3**	4	3.8	2.2	6	10.2	16.2
16	UA-EXP32r4**	4	1.6	2.6	4.2	8.8	13
17	UA-EXP32r5**	4	2.4	1.4	3.8	9.4	13.2
18	UA-EXP32r6**	4	4.8	1.2	6	10.8	16.8
21	HGW86r2*	4	8.8	11	19.8	24.8	44.6
23	E2Y45 fb Requiem*	4	5.4	11.2	16.6	21.4	38
34	fenpyroximate**	4	7.6	8	15.6	20.2	35.8
39	NNI0772**	4	8.8	9.4	18.2	22.6	40.8
44	UTC-wf	4	11.4	9	20.4	33	53.4
98	UTC-UTCalt	1	7.2	13.6	20.8	39.2	60

Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, $P < 0.05$.

Some representative whitefly trial treatments (Trt > 20) are provided for general comparison only.

These were sprayed with Carbine twice for Lygus on different timing.

Table 4c. Means and treatment effects for sqrt-transformed harvest means by ANOVA, 08F3L, Maricopa, AZ.

Trt	ANOVA	Sdctn/A	Bales/A	T.O.	%Trash	%Lint	Lodging
	P=	0.0001	0.0001	0.0196	0.0729	0.0113	0.0001
0	UTC - UTC	882	0.57	31.2%	12.8%	35.8%	1.5
2	Carbine r2	3257	2.31	33.8%	7.6%	36.6%	3
3	Carbr2+170r2	2941	1.96	31.9%	10.1%	35.4%	4
4	V10170 r3	3292	2.22	32.3%	9.0%	35.5%	3
5	Carbr1+170r1	3150	2.11	32.2%	8.8%	35.3%	3
6	BAS320r1	2421	1.58	31.4%	9.0%	34.6%	1
7	BAS320+PPr1	3278	2.27	33.1%	8.3%	36.1%	2
8	BAS320r2	3606	2.28	30.3%	12.2%	34.5%	2.75
9	BAS320+PPr2	3715	2.53	32.4%	8.7%	35.5%	3
10	VydateCLV	3139	1.95	30.0%	11.2%	33.7%	2.25
11	O97+X77	2111	1.35	30.4%	10.2%	33.8%	1
12	UTC-Lygus	1948	1.29	31.7%	10.8%	35.6%	1
13	UA-EXP32r1**	3276	2.14	31.3%	10.0%	34.7%	2.5
14	UA-EXP32r2**	3521	2.29	31.2%	10.1%	34.7%	3
15	UA-EXP32r3**	4360	3.08	33.9%	6.6%	36.3%	4.5
16	UA-EXP32r4**	4480	2.89	30.9%	10.3%	34.4%	4.5
17	UA-EXP32r5**	4733	3.28	33.3%	8.9%	36.5%	4.25
18	UA-EXP32r6**	4218	2.84	32.3%	8.6%	35.3%	4.25

Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.

** = Treatments initiated 6 - 19 d sooner than remainder of Lygus treatments; adjuvant included.






Table 5. Means separation tests for sqrt-transformed Lygus means by sample date, Dunnett's T & Tukey's HSD (P < 0.05).

1-Aug							5-Aug							
S/100	Treatment	Trt No.			Mean	Dif LSD	P	S/100	Treatment	Trt No.	Mean	Dif LSD	P	
Pretrt	UA-EXP32r6**	18	A		3.6	-1.37	1	Pretrt	UA-EXP32r6**	18	A	2.9	-1.26	0.998
8DAT	UA-EXP32r1**	13	A	B	2.94	-0.71	0.576	0	UTC-Lygus	12	A	2.56	-1.6	1
8DAT	UA-EXP32r2**	14	A	B	2.85	-0.62	0.456	12DAT	UA-EXP32r1**	13	A	2.52	-1.56	1
8DAT	UA-EXP32r3**	15	A	B	2.16	0.071	0.037	12DAT	UA-EXP32r3**	15	A	2.45	-1.49	1
8DAT	UA-EXP32r4**	16	B		1.87	0.36	0.011	12DAT	UA-EXP32r2**	14	A	2.37	-1.41	1
8DAT	UA-EXP32r5**	17	B		1.87	0.36	0.011	12DAT	UA-EXP32r4**	16	A	2.36	-1.4	1
8DAT	UTC-wf	44	B		1.58	0.649	0.003	12DAT	UTC-wf	44	A	2.23	-1.27	0.999
								Pretrt	fenpyroximate**	34	A	2.23	-1.27	0.999
								Pretrt	HGW86r2*	21	A	2.07	-1.11	0.973
								Pretrt	NNI0772**	39	A	2.07	-1.11	0.973
								0	UTC - UTC	0	A	1.87	-0.91	0.821
								Pretrt	E2Y45 fb Requiem*	23	A	1.87	-0.91	0.821
								12DAT	UA-EXP32r5**	17	A	1.87	-0.91	0.821
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks														
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.														
1-Aug							5-Aug							
L/100	Treatment	Trt No.			Mean	Dif LSD	P	L/100	Treatment	Trt No.	Mean	Dif LSD	P	
8DAT	UA-EXP32r1**	13	A		2.16	-0.41	0.71	12DAT	UA-EXP32r1**	13	A	2.79	-1.16	1
Pretrt	UA-EXP32r6**	18	A		1.87	-0.7	1	0	UTC - UTC	0	A	2.65	-1.3	1
8DAT	UA-EXP32r2**	14	A		1.58	-0.41	0.71	Pretrt	UA-EXP32r6**	18	A	2.65	-1.3	1
8DAT	UA-EXP32r4**	16	A		1.58	-0.41	0.71	0	UTC-Lygus	12	A	2.56	-1.39	1
8DAT	UA-EXP32r5**	17	A		1.58	-0.41	0.71	12DAT	UA-EXP32r3**	15	A	2.45	-1.28	1
8DAT	UA-EXP32r3**	15	A		1.58	-0.41	0.71	12DAT	UA-EXP32r2**	14	A	2.23	-1.06	0.996
8DAT	UTC-wf	44	A		1.58	-0.41	0.71	Pretrt	E2Y45 fb Requiem*	23	A	2.16	-0.99	0.983
								12DAT	UA-EXP32r4**	16	A	1.87	-0.7	0.691
								12DAT	UA-EXP32r5**	17	A	1.87	-0.7	0.691
								Pretrt	HGW86r2*	21	A	1.58	-0.41	0.293
								Pretrt	fenpyroximate**	34	A	1.58	-0.41	0.293
								Pretrt	NNI0772**	39	A	1.58	-0.41	0.293
								12DAT	UTC-wf	44	A	1.58	-0.41	0.293
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks														
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.														

1-Aug								5-Aug							
N/100	Treatment	Trt No.			Mean	Dif LSD	P	N/100	Treatment	Trt No.	Mean	Dif LSD	P		
Pretrt	UA-EXP32r6**	18	A		3.8	-1.26	1	Pretrt	UA-EXP32r6**	18	A	3.68	-1.4	0.989	
8DAT	UA-EXP32r1**	13	A	B	3.34	-0.8	0.793	12DAT	UA-EXP32r1**	13	A	3.3	-1.78	1	
8DAT	UA-EXP32r2**	14	A	B C	2.85	-0.31	0.184	0	UTC-Lygus	12	A	3.16	-1.93	1	
8DAT	UA-EXP32r3**	15		B C	2.16	0.381	0.008	12DAT	UA-EXP32r3**	15	A	3.05	-1.81	1	
8DAT	UA-EXP32r4**	16		B C	1.87	0.67	0.002	0	UTC - UTC	0	A	2.81	-1.57	1	
8DAT	UA-EXP32r5**	17		B C	1.87	0.67	0.002	12DAT	UA-EXP32r2**	14	A	2.72	-1.48	0.997	
8DAT	UTC-wf	44		C	1.58	0.96	0	12DAT	UA-EXP32r4**	16	A	2.52	-1.28	0.954	
								Pretrt	E2Y45 fb Requiem*	23	A	2.36	-1.12	0.844	
								12DAT	UTC-wf	44	A	2.23	-0.99	0.717	
								Pretrt	fenpyroximate**	34	A	2.23	-0.99	0.717	
								12DAT	UA-EXP32r5**	17	A	2.16	-0.92	0.639	
								Pretrt	HGW86r2*	21	A	2.07	-0.83	0.54	
								Pretrt	NNI0772**	39	A	2.07	-0.83	0.54	
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															
1-Aug								5-Aug							
A/100	Treatment	Trt No.			Mean	Dif LSD	P	A/100	Treatment	Trt No.	Mean	Dif LSD	P		
Pretrt	UA-EXP32r6**	18	A		4.43	-2.16	1	Pretrt	NNI0772**	39	A	4	-1.21	0.894	
8DAT	UA-EXP32r1**	13	A		3.64	-1.37	0.798	12DAT	UTC-wf	44	A	3.93	-1.29	0.94	
8DAT	UA-EXP32r2**	14	A		3.56	-1.3	0.739	Pretrt	E2Y45 fb Requiem*	23	A	3.66	-1.55	0.999	
8DAT	UTC-wf	44	A		2.66	-0.4	0.136	Pretrt	UA-EXP32r6**	18	A	3.64	-1.58	0.999	
8DAT	UA-EXP32r3**	15	A		2.56	-0.3	0.106	0	UTC - UTC	0	A	3.6	-1.61	1	
8DAT	UA-EXP32r4**	16	A		2.56	-0.3	0.106	12DAT	UA-EXP32r5**	17	A	3.6	-1.61	1	
8DAT	UA-EXP32r5**	17	A		2.45	-0.19	0.081	12DAT	UA-EXP32r3**	15	A	3.59	-1.62	1	
								Pretrt	fenpyroximate**	34	A	3.56	-1.65	1	
								12DAT	UA-EXP32r2**	14	A	3.55	-1.66	1	
								12DAT	UA-EXP32r4**	16	A	3.46	-1.75	1	
								12DAT	UA-EXP32r1**	13	A	3.27	-1.94	1	
								0	UTC-Lygus	12	A	3.24	-1.97	1	
								Pretrt	HGW86r2*	21	A	2.79	-1.52	0.997	
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

1-Aug								5-Aug							
T/100	Treatment	Trt No.			Mean	Dif LSD	P	T/100	Treatment	Trt No.	Mean	Dif LSD	P		
Pretrt	UA-EXP32r6**	18	A		5.63	-2.24	1	Pretrt	UA-EXP32r6**	18	A	5.05	-1.19	0.897	
8DAT	UA-EXP32r1**	13	A	B	4.71	-1.32	0.716	12DAT	UA-EXP32r3**	15	A	4.58	-1.66	1	
8DAT	UA-EXP32r2**	14	A	B	4.31	-0.92	0.387	12DAT	UA-EXP32r1**	13	A	4.56	-1.68	1	
8DAT	UA-EXP32r3**	15	A	B	3.14	0.255	0.026	12DAT	UA-EXP32r2**	14	A	4.32	-1.93	1	
8DAT	UA-EXP32r4**	16		B	2.72	0.672	0.008	0	UTC-Lygus	12	A	4.31	-1.93	1	
8DAT	UTC-wf	44		B	2.66	0.731	0.007	0	UTC - UTC	0	A	4.3	-1.93	1	
8DAT	UA-EXP32r5**	17		B	2.65	0.743	0.007	Pretrt	NNI0772**	39	A	4.26	-1.89	1	
								12DAT	UTC-wf	44	A	4.24	-1.87	1	
								Pretrt	E2Y45 fb Requiem*	23	A	4.24	-1.87	1	
								12DAT	UA-EXP32r4**	16	A	3.98	-1.6	1	
								12DAT	UA-EXP32r5**	17	A	3.94	-1.56	0.999	
								Pretrt	fenpyroximate**	34	A	3.88	-1.51	0.998	
								Pretrt	HGW86r2*	21	A	3.01	-0.63	0.34	
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

Table 5 (continued).															
13-Aug							18-Aug								
S/100	Treatment	Trt No.			Mean	Dif LSD	P	S/100	Treatment	Trt No.			Mean	Dif LSD	P
20DAT	UTC-wf	44	A		4.26	-1.91	0.999	0	UTC - UTC	0	A		3.86	-1.43	1
1DAT2	HGW86r2*	21	A		3.79	-2.37	1	0	UTC-Lygus	12	A B		3.47	-1.81	1
0	UTC-Lygus	12	A		3.78	-2.39	1	6DAT	O97+X77	11	A B		2.65	-0.98	0.833
0	UTC - UTC	0	A		3.69	-2.3	1	6DAT	BAS320r1	6	A B		2.56	-0.89	0.733
1DAT3	UA-EXP32r1**	13	A		3.51	-2.12	1	6DAT	Carbine r2	2	A B		2.52	-0.86	0.687
1DAT2	fenpyroximate**	34	A		3.19	-1.8	0.995	6DAT	BAS320r2	8	A B		2.16	-0.5	0.288
1DAT2	E2Y45 fb Requiem*	23	A		3.02	-1.63	0.967	6DAT	BAS320+PPr1	7	A B		2.16	-0.5	0.288
1DAT2	NNI0772**	39	A		2.99	-1.59	0.955	6DAT	VydateCLV	10	A B		2.07	-0.41	0.219
1DAT2	UA-EXP32r6**	18	A		2.36	-0.97	0.485	6DAT	Carbr1+170r1	5	A B		1.87	-0.21	0.111
1DAT3	UA-EXP32r2**	14	A		2.07	-0.68	0.277	6DAT	V10170 r3	4	A B		1.87	-0.21	0.111
1DAT3	UA-EXP32r3**	15	A		1.87	-0.48	0.176	6DAT2	UA-EXP32r6**	18	A B		1.87	-0.21	0.111
1DAT3	UA-EXP32r4**	16	A		1.58	-0.19	0.085	6DAT	Carbr2+170r2	3	A B		1.87	-0.21	0.111
1DAT3	UA-EXP32r5**	17	A		1.58	-0.19	0.085	6DAT3	UA-EXP32r3**	15	A B		1.87	-0.21	0.111
								6DAT3	UA-EXP32r2**	14	A B		1.87	-0.21	0.111
								6DAT3	UA-EXP32r4**	16	A B		1.87	-0.21	0.111
								6DAT3	UA-EXP32r1**	13	B		1.58	0.082	0.036
								6DAT3	UA-EXP32r5**	17	B		1.58	0.082	0.036
								6DAT	BAS320+PPr2	9	B		1.58	0.082	0.036
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

13-Aug								18-Aug							
L/100	Treatment	Trt No.			Mean	Dif LSD	P	L/100	Treatment	Trt No.			Mean	Dif LSD	P
0	UTC-Lygus	12	A		4.29	-1.61	1	0	UTC-Lygus	12	A		6.15	-2.18	1
1DAT2	HGW86r2*	21	A	B	3.37	-0.7	0.541	0	UTC - UTC	0	A	B	5.66	-1.68	1
1DAT2	NNI0772**	39	A	B	3.15	-0.48	0.294	6DAT	Carbr1+170r1	5	A	B	4.44	-0.47	0.209
0	UTC - UTC	0	A	B	2.85	-0.18	0.102	6DAT	BAS320r1	6	A	B	3.66	0.313	0.016
20DAT	UTC-wf	44	A	B	2.45	0.222	0.019	6DAT3	UA-EXP32r2**	14	A	B	3.5	0.475	0.009
1DAT2	E2Y45 fb Requiem*	23	A	B	2.36	0.313	0.012	6DAT	V10170 r3	4		B	3.44	0.534	0.007
1DAT3	UA-EXP32r2**	14		B	2.16	0.512	0.005	6DAT	BAS320+PPr2	9		B	3.34	0.637	0.005
1DAT2	fenpyroximate**	34		B	2.07	0.602	0.003	6DAT	O97+X77	11			2.95	1.023	0
1DAT3	UA-EXP32r1**	13		B	2.07	0.602	0.003	6DAT	BAS320+PPr1	7			2.85	1.125	0
1DAT2	UA-EXP32r6**	18		B	1.87	0.801	0.001	6DAT	BAS320r2	8			2.81	1.163	0
1DAT3	UA-EXP32r3**	15		B	1.87	0.801	0.001	6DAT	Carbine r2	2			2.61	1.362	0
1DAT3	UA-EXP32r4**	16		B	1.58	1.091	0	6DAT3	UA-EXP32r1**	13			2.36	1.614	0
1DAT3	UA-EXP32r5**	17		B	1.58	1.091	0	6DAT	Carbr2+170r2	3			2.16	1.813	0
								6DAT3	UA-EXP32r4**	16			2.16	1.813	0
								6DAT3	UA-EXP32r3**	15			2.16	1.813	0
								6DAT	VydateCLV	10			1.87	2.103	0
								6DAT3	UA-EXP32r5**	17			1.87	2.103	0
								6DAT2	UA-EXP32r6**	18			1.58	2.392	0
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

13-Aug								18-Aug							
N/100	Treatment	Trt No.			Mean	Dif LSD	P	N/100	Treatment	Trt No.			Mean	Dif LSD	P
0	UTC-Lygus	12	A		5.51	-2.67	1	0	UTC-Lygus	12	A		7.11	-2.32	1
1DAT2	HGW86r2*	21	A	B	4.79	-1.95	0.989	0	UTC - UTC	0	A		6.86	-2.07	1
20DAT	UTC-wf	44	A	B	4.62	-1.78	0.952	6DAT	Carbr1+170r1	5	A	B	4.61	0.189	0.027
0	UTC - UTC	0	A	B	4.42	-1.59	0.862	6DAT	BAS320r1	6	A	B	4.29	0.508	0.009
1DAT2	NNI0772**	39	A	B	4.18	-1.34	0.684	6DAT3	UA-EXP32r2**	14	B		3.66	1.135	0
1DAT3	UA-EXP32r1**	13	A	B	3.78	-0.94	0.383	6DAT	O97+X77	11	B		3.64	1.159	0
1DAT2	E2Y45 fb Requiem*	23	A	B	3.64	-0.8	0.298	6DAT	V10170 r3	4	B		3.56	1.231	0
1DAT2	fenpyroximate**	34	A	B	3.39	-0.56	0.184	6DAT	BAS320+PPr2	9	B		3.34	1.458	0
1DAT2	UA-EXP32r6**	18	A	B	2.52	0.316	0.022	6DAT	BAS320r2	8	B		3.3	1.496	0
1DAT3	UA-EXP32r2**	14	A	B	2.52	0.316	0.022	6DAT	BAS320+PPr1	7	B		3.21	1.586	0
1DAT3	UA-EXP32r3**	15	B		2.16	0.677	0.008	6DAT	Carbine r2	2	B		3.2	1.597	0
1DAT3	UA-EXP32r4**	16	B		1.58	1.256	0.001	6DAT3	UA-EXP32r4**	16	B		2.45	2.346	0
1DAT3	UA-EXP32r5**	17	B		1.58	1.256	0.001	6DAT3	UA-EXP32r3**	15	B		2.45	2.346	0
								6DAT	Carbr2+170r2	3	B		2.36	2.436	0
								6DAT3	UA-EXP32r1**	13	B		2.36	2.436	0
								6DAT	VydateCLV	10	B		2.23	2.563	0
								6DAT3	UA-EXP32r5**	17	B		1.87	2.924	0
								6DAT2	UA-EXP32r6**	18	B		1.87	2.924	0
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

13-Aug								18-Aug							
A/100	Treatment	Trt No.			Mean	Dif LSD	P	A/100	Treatment	Trt No.			Mean	Dif LSD	P
0	UTC-Lygus	12	A		7.2	-3	1	6DAT	O97+X77	11	A		6.71	-1	0.425
0	UTC - UTC	0	A		7.06	-2.86	1	0	UTC - UTC	0	A	B	6.29	-1.42	0.745
1DAT2	HGW86r2*	21	A	B	6.67	-2.47	1	6DAT	BAS320r1	6	A	B	5.93	-1.77	0.95
20DAT	UTC-wf	44	A	B	5.44	-1.24	0.499	6DAT	BAS320+PPr1	7	A	B	5.9	-1.81	0.961
1DAT2	fenpyroximate**	34	A	B	4.96	-0.76	0.237	6DAT	BAS320+PPr2	9	A	B	5.8	-1.91	0.982
1DAT3	UA-EXP32r1**	13	A	B	4.87	-0.67	0.2	6DAT	Carbine r2	2	A	B	5.71	-2	0.993
1DAT2	E2Y45 fb Requiem*	23	A	B	4.54	-0.34	0.105	6DAT	VydateCLV	10	A	B	5.48	-2.22	1
1DAT2	NNI0772**	39	A	B	4.38	-0.18	0.075	6DAT	BAS320r2	8	A	B	5.19	-2.52	1
1DAT3	UA-EXP32r2**	14	A	B	4.31	-0.11	0.064	6DAT3	UA-EXP32r2**	14	A	B	5.08	-2.62	1
1DAT3	UA-EXP32r4**	16	A	B	3.96	0.236	0.029	6DAT3	UA-EXP32r5**	17	A	B	5.03	-2.68	1
1DAT3	UA-EXP32r3**	15	B		3.34	0.863	0.006	0	UTC-Lygus	12	A	B	4.87	-2.84	1
1DAT2	UA-EXP32r6**	18	B		3.3	0.9	0.005	6DAT3	UA-EXP32r3**	15	A	B	4.79	-2.75	1
1DAT3	UA-EXP32r5**	17	B		3.05	1.152	0.003	6DAT	Carbr1+170r1	5	A	B	4.69	-2.65	1
								6DAT3	UA-EXP32r1**	13	A	B	4.57	-2.53	1
								6DAT2	UA-EXP32r6**	18	A	B	4.55	-2.52	1
								6DAT	V10170 r3	4	A	B	4.49	-2.46	1
								6DAT	Carbr2+170r2	3	A	B	4.02	-1.99	0.992
								6DAT3	UA-EXP32r4**	16	B		2.85	-0.81	0.308
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

13-Aug								18-Aug											
T/100	Treatment	Trt No.			Mean	Dif LSD	P	T/100	Treatment	Trt No.			Mean	Dif LSD	P				
0	UTC-Lygus	12	A		8.93	-3.26	1	0	UTC - UTC	0	A		9.25	-2.25	0.999				
1DAT2	HGW86r2*	21	A	B	8.28	-2.6	0.999	0	UTC-Lygus	12	A	B	8.53	-2.98	1				
0	UTC - UTC	0	A	B	8.25	-2.57	0.999	6DAT	O97+X77	11	A	B	C	7.62	-2.07	0.991			
20DAT	UTC-wf	44	A	B	C	7.2	-1.52	0.611	6DAT	BAS320r1	6	A	B	C	7.21	-1.66	0.859		
1DAT2	NNI0772**	39	A	B	C	D	6.05	-0.37	0.105	6DAT	BAS320+PPr1	7	A	B	C	D	6.56	-1.01	0.403
1DAT3	UA-EXP32r1**	13	A	B	C	D	5.94	-0.26	0.086	6DAT	Carbine r2	2	A	B	C	D	6.53	-0.98	0.383
1DAT2	fenpyroximate**	34	A	B	C	D	5.88	-0.2	0.076	6DAT	BAS320+PPr2	9	A	B	C	D	6.53	-0.98	0.38
1DAT2	E2Y45 fb Requiem*	23	A	B	C	D	5.63	0.046	0.045	6DAT	Carbr1+170r1	5	A	B	C	D	6.41	-0.86	0.312
1DAT3	UA-EXP32r2**	14		B	C	D	4.73	0.949	0.006	6DAT3	UA-EXP32r2**	14	A	B	C	D	6.07	-0.52	0.162
1DAT3	UA-EXP32r4**	16			C	D	3.96	1.714	0	6DAT	BAS320r2	8	A	B	C	D	6	-0.45	0.142
1DAT2	UA-EXP32r6**	18			C	D	3.93	1.751	0	6DAT	VydateCLV	10	A	B	C	D	5.8	-0.25	0.091
1DAT3	UA-EXP32r3**	15			C	D	3.66	2.016	0	6DAT	V10170 r3	4		B	C	D	5.56	-0.01	0.052
1DAT3	UA-EXP32r5**	17			D	3.05	2.629	0	6DAT3	UA-EXP32r3**	15		B	C	D	5.17	0.377	0.019	
									6DAT3	UA-EXP32r5**	17		B	C	D	5.15	0.398	0.018	
									6DAT3	UA-EXP32r1**	13		B	C	D	4.99	0.556	0.011	
									6DAT2	UA-EXP32r6**	18		C	D	4.69	0.858	0.005		
									6DAT	Carbr2+170r2	3		C	D	4.32	1.233	0.002		
									6DAT3	UA-EXP32r4**	16			D	3.46	2.089	0		
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks																			
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.																			

Table 5 (continued).												
25-Aug							3-Sep					
S/100	Treatment	Trt No.	Mean	Dif LSD	P	S/100	Treatment	Trt No.	Mean	Dif LSD	P	
13DAT	VydateCLV	10 A	5.21	-2.1	0.984	8DAT2	BAS320r1	6 A	4.55	-0.76	0.445	
13DAT	BAS320r1	6 A	5.2	-2.1	0.986	8DAT2	VydateCLV	10 A B	4.1	-1.21	0.887	
13DAT	O97+X77	11 A	5.09	-2.21	0.995	8DAT2	BAS320+PPr2	9 A B	4.08	-1.23	0.901	
13DAT	Carbr1+170r1	5 A	4.98	-2.32	0.999	8DAT4	UA-EXP32r1**	13 A B	3.31	-2	1	
13DAT	BAS320+PPr1	7 A	4.97	-2.34	0.999	8DAT4	UA-EXP32r3**	15 A B	3.3	-2.02	1	
0	UTC - UTC	0 A	4.73	-2.57	1	0	UTC-Lygus	12 A B	3.21	-2.11	1	
13DAT2	UA-EXP32r6**	18 A	4.64	-2.66	1	8DAT4	UA-EXP32r2**	14 A B	3.05	-1.94	1	
13DAT3	UA-EXP32r2**	14 A	4.52	-2.79	1	8DAT2	BAS320+PPr1	7 A B	2.85	-1.74	1	
0	UTC-Lygus	12 A	4.21	-3.09	1	8DAT2	V10170 r3	4 A B	2.79	-1.68	1	
13DAT3	UA-EXP32r1**	13 A	4.16	-3.04	1	8DAT4	UA-EXP32r5**	17 A B	2.74	-1.63	1	
13DAT	Carbine r2	2 A	3.96	-2.85	1	8DAT2	Carbr1+170r1	5 A B	2.72	-1.62	0.999	
13DAT	BAS320+PPr2	9 A	3.7	-2.58	1	8DAT3	UA-EXP32r6**	18 A B	2.56	-1.45	0.989	
13DAT	V10170 r3	4 A	3.59	-2.47	1	0	UTC - UTC	0 A B	2.52	-1.42	0.983	
13DAT3	UA-EXP32r5**	17 A	3.19	-2.07	0.981	8DAT2	O97+X77	11 A B	2.45	-1.35	0.961	
13DAT3	UA-EXP32r3**	15 A	3.15	-2.03	0.974	8DAT2	BAS320r2	8 A B	2.16	-1.06	0.749	
13DAT	Carbr2+170r2	3 A	3.1	-1.98	0.963	8DAT2	Carbr2+170r2	3 B	1.87	-0.77	0.449	
13DAT	BAS320r2	8 A	2.81	-1.69	0.84	8DAT2	Carbine r2	2 B	1.87	-0.77	0.449	
13DAT3	UA-EXP32r4**	16 A	2.66	-1.54	0.743	8DAT4	UA-EXP32r4**	16 B	1.58	-0.48	0.222	
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks												
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.												

25-Aug							3-Sep						
L/100	Treatment	Trt No.	Mean	Dif LSD	P		L/100	Treatment	Trt No.	Mean	Dif LSD	P	
13DAT	O97+X77	11 A	5.01	-2.42	1	0	UTC - UTC	0 A	4	-1.24	0.944		
0	UTC - UTC	0 A	4.89	-2.54	1	8DAT4	UA-EXP32r2**	14 A	3.69	-1.55	1		
13DAT	BAS320+PPr1	7 A	4.82	-2.6	1	8DAT4	UA-EXP32r1**	13 A	3.27	-1.96	1		
0	UTC-Lygus	12 A	4.47	-2.96	1	0	UTC-Lygus	12 A	3.24	-2	1		
13DAT	BAS320r1	6 A	4.19	-2.68	1	8DAT2	Carbr1+170r1	5 A	3.19	-1.95	1		
13DAT	Carbr1+170r1	5 A	3.74	-2.23	0.999	8DAT2	V10170 r3	4 A	2.66	-1.42	0.994		
13DAT3	UA-EXP32r4**	16 A	3.66	-2.15	0.997	8DAT4	UA-EXP32r3**	15 A	2.65	-1.41	0.993		
13DAT3	UA-EXP32r1**	13 A	3.64	-2.13	0.996	8DAT2	BAS320+PPr1	7 A	2.45	-1.21	0.927		
13DAT3	UA-EXP32r2**	14 A	3.35	-1.84	0.946	8DAT2	O97+X77	11 A	2.36	-1.12	0.861		
13DAT	BAS320+PPr2	9 A	3.21	-1.7	0.886	8DAT2	BAS320r1	6 A	2.36	-1.12	0.861		
13DAT	Carbine r2	2 A	3.14	-1.63	0.845	8DAT4	UA-EXP32r5**	17 A	2.16	-0.92	0.657		
13DAT	VydateCLV	10 A	3.01	-1.5	0.761	8DAT2	VydateCLV	10 A	2.16	-0.92	0.657		
13DAT2	UA-EXP32r6**	18 A	2.86	-1.35	0.651	8DAT2	Carbine r2	2 A	2.16	-0.92	0.657		
13DAT3	UA-EXP32r3**	15 A	2.72	-1.21	0.545	8DAT2	BAS320+PPr2	9 A	2.07	-0.83	0.556		
13DAT	V10170 r3	4 A	2.65	-1.14	0.493	8DAT2	Carbr2+170r2	3 A	1.87	-0.63	0.356		
13DAT	BAS320r2	8 A	2.65	-1.14	0.493	8DAT4	UA-EXP32r4**	16 A	1.87	-0.63	0.356		
13DAT3	UA-EXP32r5**	17 A	2.23	-0.72	0.245	8DAT2	BAS320r2	8 A	1.87	-0.63	0.356		
13DAT	Carbr2+170r2	3 A	2.16	-0.65	0.214	8DAT3	UA-EXP32r6**	18 A	1.58	-0.34	0.159		
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

25-Aug							3-Sep						
N/100	Treatment	Trt No.	Mean	Dif LSD	P		N/100	Treatment	Trt No.	Mean	Dif LSD	P	
13DAT	O97+X77	11 A	7	-2.92	0.999		8DAT2	BAS320r1	6 A	4.97	-1.84	0.999	
13DAT	BAS320+PPr1	7 A	6.85	-3.07	1		8DAT4	UA-EXP32r2**	14 A B	4.5	-2.31	1	
0	UTC - UTC	0 A	6.65	-3.27	1		0	UTC - UTC	0 A B	4.48	-2.32	1	
13DAT	BAS320r1	6 A	6.53	-3.39	1		8DAT4	UA-EXP32r1**	13 A B	4.42	-2.38	1	
13DAT	Carbr1+170r1	5 A	6.12	-3.8	1		8DAT2	BAS320+PPr2	9 A B	4.38	-2.42	1	
0	UTC-Lygus	12 A	6.01	-3.91	1		8DAT2	VydateCLV	10 A B	4.37	-2.44	1	
13DAT	VydateCLV	10 A	5.87	-3.76	1		0	UTC-Lygus	12 A B	4.34	-2.46	1	
13DAT3	UA-EXP32r2**	14 A	5.52	-3.41	1		8DAT2	Carbr1+170r1	5 A B	4.04	-2.17	1	
13DAT2	UA-EXP32r6**	18 A	5.33	-3.22	1		8DAT4	UA-EXP32r3**	15 A B	4.02	-2.14	1	
13DAT3	UA-EXP32r1**	13 A	5.31	-3.21	1		8DAT2	V10170 r3	4 A B	3.53	-1.65	0.981	
13DAT	Carbine r2	2 A	4.81	-2.7	0.989		8DAT2	BAS320+PPr1	7 A B	3.46	-1.58	0.964	
13DAT	BAS320+PPr2	9 A	4.68	-2.57	0.975		8DAT4	UA-EXP32r5**	17 A B	3.14	-1.26	0.769	
13DAT3	UA-EXP32r4**	16 A	4.31	-2.2	0.867		8DAT2	O97+X77	11 A B	3.01	-1.13	0.656	
13DAT	V10170 r3	4 A	4.24	-2.14	0.839		8DAT3	UA-EXP32r6**	18 A B	2.56	-0.68	0.292	
13DAT3	UA-EXP32r3**	15 A	3.82	-1.71	0.607		8DAT2	Carbine r2	2 A B	2.45	-0.57	0.229	
13DAT3	UA-EXP32r5**	17 A	3.49	-1.38	0.427		8DAT2	BAS320r2	8 A B	2.36	-0.48	0.185	
13DAT	BAS320r2	8 A	3.47	-1.37	0.421		8DAT2	Carbr2+170r2	3 A B	2.16	-0.28	0.111	
13DAT	Carbr2+170r2	3 A	3.44	-1.33	0.403		8DAT4	UA-EXP32r4**	16 B	1.87	0.007	0.049	
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

25-Aug							3-Sep						
A/100	Treatment	Trt No.	Mean	Dif LSD	P	A/100	Treatment	Trt No.	Mean	Dif LSD	P		
0	UTC - UTC	0 A	7.56	-0.92	0.34	0	UTC - UTC	0 A	7.94	-0.14	0.071		
13DAT	Carbr1+170r1	5 A	7.15	-1.33	0.616	8DAT2	BAS320r1	6 A B	6.54	-1.54	0.825		
13DAT3	UA-EXP32r2**	14 A	7	-1.48	0.725	8DAT4	UA-EXP32r2**	14 A B	6.46	-1.61	0.871		
13DAT	O97+X77	11 A	6.72	-1.76	0.9	8DAT2	O97+X77	11 A B	6.27	-1.81	0.956		
13DAT	BAS320r1	6 A	6.64	-1.84	0.935	8DAT2	Carbr1+170r1	5 A B	5.82	-2.25	1		
13DAT	BAS320+PPr1	7 A	5.81	-2.67	1	8DAT2	VydateCLV	10 A B	5.6	-2.48	1		
13DAT	Carbr2+170r2	3 A	5.56	-2.92	1	8DAT2	Carbine r2	2 A B	5.59	-2.49	1		
13DAT3	UA-EXP32r1**	13 A	5.54	-2.94	1	8DAT2	Carbr2+170r2	3 A B	5.27	-2.81	1		
0	UTC-Lygus	12 A	5.47	-3.01	1	8DAT4	UA-EXP32r1**	13 A B	5.23	-2.85	1		
13DAT	VydateCLV	10 A	5.44	-2.98	1	0	UTC-Lygus	12 A B	5.22	-2.85	1		
13DAT	V10170 r3	4 A	5.35	-2.89	1	8DAT2	BAS320+PPr1	7 A B	5.08	-2.71	1		
13DAT	BAS320+PPr2	9 A	4.95	-2.49	1	8DAT2	BAS320r2	8 A B	4.65	-2.28	1		
13DAT3	UA-EXP32r3**	15 A	4.92	-2.46	1	8DAT3	UA-EXP32r6**	18 A B	4.49	-2.12	0.998		
13DAT2	UA-EXP32r6**	18 A	4.73	-2.27	0.999	8DAT2	BAS320+PPr2	9 B	4.31	-1.94	0.985		
13DAT3	UA-EXP32r4**	16 A	4.72	-2.26	0.999	8DAT4	UA-EXP32r5**	17 B	4.24	-1.88	0.974		
13DAT	BAS320r2	8 A	4.18	-1.72	0.88	8DAT4	UA-EXP32r3**	15 B	4.21	-1.84	0.966		
13DAT	Carbine r2	2 A	4.16	-1.7	0.871	8DAT4	UA-EXP32r4**	16 B	4.11	-1.75	0.935		
13DAT3	UA-EXP32r5**	17 A	3.93	-1.47	0.717	8DAT2	V10170 r3	4 B	3.89	-1.52	0.81		
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

25-Aug							3-Sep						
T/100	Treatment	Trt No.	Mean	Dif LSD	P	T/100	Treatment	Trt No.	Mean	Dif LSD	P		
0	UTC - UTC	0 A	10	-2.48	0.897	0	UTC - UTC	0 A	9	-0.84	0.265		
13DAT	O97+X77	11 A	9.69	-2.79	0.973	8DAT2	BAS320r1	6 A B	8.15	-1.68	0.786		
13DAT	Carbr1+170r1	5 A	9.34	-3.14	0.998	8DAT4	UA-EXP32r2**	14 A B	7.76	-2.08	0.963		
13DAT	BAS320r1	6 A	9.18	-3.3	1	8DAT2	Carbr1+170r1	5 A B	7.01	-2.82	1		
13DAT	BAS320+PPr1	7 A	8.94	-3.53	1	8DAT2	VydateCLV	10 A B	6.97	-2.87	1		
13DAT3	UA-EXP32r2**	14 A	8.87	-3.6	1	8DAT2	O97+X77	11 A B	6.83	-3.01	1		
0	UTC-Lygus	12 A	8.22	-4.26	1	8DAT4	UA-EXP32r1**	13 A B	6.68	-3.15	1		
13DAT	VydateCLV	10 A	7.96	-4	1	0	UTC-Lygus	12 A B	6.6	-3.24	1		
13DAT3	UA-EXP32r1**	13 A	7.64	-3.68	1	8DAT2	BAS320+PPr1	7 A B	6	-2.64	1		
13DAT2	UA-EXP32r6**	18 A	6.95	-2.99	0.992	8DAT2	BAS320+PPr2	9 A B	5.93	-2.57	1		
13DAT	BAS320+PPr2	9 A	6.67	-2.71	0.96	8DAT2	Carbine r2	2 A B	5.91	-2.55	1		
13DAT	V10170 r3	4 A	6.65	-2.69	0.954	8DAT4	UA-EXP32r3**	15 A B	5.67	-2.31	0.995		
13DAT	Carbr2+170r2	3 A	6.48	-2.52	0.911	8DAT2	Carbr2+170r2	3 A B	5.5	-2.14	0.977		
13DAT3	UA-EXP32r4**	16 A	6.24	-2.28	0.816	8DAT4	UA-EXP32r5**	17 A B	5.13	-1.77	0.836		
13DAT	Carbine r2	2 A	6.19	-2.24	0.797	8DAT2	V10170 r3	4 A B	5.04	-1.68	0.783		
13DAT3	UA-EXP32r3**	15 A	6.07	-2.11	0.734	8DAT2	BAS320r2	8 A B	5.01	-1.65	0.766		
13DAT	BAS320r2	8 A	5.28	-1.32	0.348	8DAT3	UA-EXP32r6**	18 B	4.95	-1.59	0.727		
13DAT3	UA-EXP32r5**	17 A	5.1	-1.14	0.28	8DAT4	UA-EXP32r4**	16 B	4.2	-0.84	0.267		
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

Table 5 (continued).													
10-Sep							18-Sep						
S/100	Treatment	Trt No.		Mean	Dif LSD	P	S/100	Treatment	Trt No.		Mean	Dif LSD	P
0	UTC - UTC	0 A		2.81	-0.8	0.961	13DAT3	BAS320r1	6 A		3.88	-0.43	0.19
5DAT5	UA-EXP32r2**	14 A		2.45	-1.16	1	0	UTC - UTC	0 A		3.39	-0.93	0.589
0	UTC-Lygus	12 A		2.36	-1.25	1	13DAT3	Carbr1+170r1	5 A		3.3	-1.02	0.682
5DAT3	Carbr1+170r1	5 A		2.07	-0.96	0.999	13DAT3	BAS320+PPr1	7 A		3.01	-1.31	0.928
5DAT5	UA-EXP32r1**	13 A		2.07	-0.96	0.999	13DAT3	VydateCLV	10 A		2.9	-1.41	0.974
5DAT3	BAS320+PPr1	7 A		2.07	-0.96	0.999	13DAT3	O97+X77	11 A		2.86	-1.45	0.983
5DAT3	O97+X77	11 A		1.87	-0.76	0.932	13DAT5	UA-EXP32r2**	14 A		2.85	-1.47	0.986
5DAT5	UA-EXP32r4**	16 A		1.87	-0.76	0.932	13DAT3	V10170 r3	4 A		2.81	-1.5	0.991
5DAT3	V10170 r3	4 A		1.87	-0.76	0.932	13DAT5	UA-EXP32r3**	15 A		2.65	-1.67	1
5DAT3	BAS320r1	6 A		1.87	-0.76	0.932	13DAT3	Carbine r2	2 A		2.36	-1.96	1
5DAT3	Carbine r2	2 A		1.58	-0.47	0.475	13DAT4	UA-EXP32r6**	18 A		2.16	-2.16	1
5DAT3	BAS320r2	8 A		1.58	-0.47	0.475	0	UTC-Lygus	12 A		2.16	-2.16	1
5DAT3	BAS320+PPr2	9 A		1.58	-0.47	0.475	13DAT3	BAS320r2	8 A		2.07	-2.06	1
5DAT3	VydateCLV	10 A		1.58	-0.47	0.475	13DAT5	UA-EXP32r4**	16 A		1.87	-1.87	1
5DAT5	UA-EXP32r3**	15 A		1.58	-0.47	0.475	13DAT5	UA-EXP32r1**	13 A		1.87	-1.87	1
5DAT3	Carbr2+170r2	3 A		1.58	-0.47	0.475	13DAT3	Carbr2+170r2	3 A		1.58	-1.58	0.997
5DAT5	UA-EXP32r5**	17 A		1.58	-0.47	0.475	13DAT5	UA-EXP32r5**	17 A		1.58	-1.58	0.997
5DAT4	UA-EXP32r6**	18 A		1.58	-0.47	0.475	13DAT3	BAS320+PPr2	9 A		1.58	-1.58	0.997
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

10-Sep							18-Sep						
L/100	Treatment	Trt No.		Mean	Dif LSD	P	L/100	Treatment	Trt No.		Mean	Dif LSD	P
5DAT3	BAS320r1	6	A	4.23	-0.23	0.147	13DAT3	BAS320+PPr1	7	A	2.52	-1.05	1
0	UTC - UTC	0	A	3.8	-0.66	0.643	0	UTC-Lygus	12	A	2.45	-1.12	1
5DAT5	UA-EXP32r2**	14	A	3.15	-1.31	1	13DAT3	BAS320r1	6	A	2.16	-0.83	0.998
0	UTC-Lygus	12	A	3.01	-1.45	1	13DAT3	V10170 r3	4	A	2.16	-0.83	0.998
5DAT5	UA-EXP32r1**	13	A	2.56	-1	0.988	13DAT3	Carbr1+170r1	5	A	2.16	-0.83	0.998
5DAT3	BAS320r2	8	A	2.56	-1	0.988	13DAT5	UA-EXP32r2**	14	A	2.16	-0.83	0.998
5DAT3	V10170 r3	4	B	2.36	-0.8	0.845	13DAT5	UA-EXP32r1**	13	A	2.16	-0.83	0.998
5DAT3	O97+X77	11	B	2.16	-0.6	0.551	0	UTC - UTC	0	A	2.07	-0.74	0.977
5DAT3	VydateCLV	10	B	2.16	-0.6	0.551	13DAT3	VydateCLV	10	A	1.87	-0.54	0.71
5DAT3	BAS320+PPr2	9	B	2.07	-0.51	0.421	13DAT3	BAS320r2	8	A	1.58	-0.25	0.221
5DAT3	BAS320+PPr1	7	C	1.87	-0.31	0.204	13DAT3	O97+X77	11	A	1.58	-0.25	0.221
5DAT5	UA-EXP32r4**	16	C	1.87	-0.31	0.204	13DAT3	Carbr2+170r2	3	A	1.58	-0.25	0.221
5DAT5	UA-EXP32r5**	17	C	1.87	-0.31	0.204	13DAT3	BAS320+PPr2	9	A	1.58	-0.25	0.221
5DAT3	Carbr1+170r1	5	C	1.87	-0.31	0.204	13DAT3	Carbine r2	2	A	1.58	-0.25	0.221
5DAT3	Carbine r2	2	C	1.58	-0.02	0.055	13DAT5	UA-EXP32r3**	15	A	1.58	-0.25	0.221
5DAT3	Carbr2+170r2	3	C	1.58	-0.02	0.055	13DAT5	UA-EXP32r4**	16	A	1.58	-0.25	0.221
5DAT5	UA-EXP32r3**	15	C	1.58	-0.02	0.055	13DAT5	UA-EXP32r5**	17	A	1.58	-0.25	0.221
5DAT4	UA-EXP32r6**	18	C	1.58	-0.02	0.055	13DAT4	UA-EXP32r6**	18	A	1.58	-0.25	0.221
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

10-Sep							18-Sep						
N/100	Treatment	Trt No.		Mean	Dif LSD	P	N/100	Treatment	Trt No.		Mean	Dif LSD	P
0	UTC - UTC	0	A	4.51	-0.72	0.563	13DAT3	BAS320r1	6	A	4.24	-0.91	0.515
5DAT3	BAS320r1	6	A B	4.37	-0.85	0.744	13DAT3	BAS320+PPr1	7	A	3.67	-1.49	0.964
5DAT5	UA-EXP32r2**	14	A B C	3.69	-1.53	1	13DAT3	Carbr1+170r1	5	A	3.66	-1.5	0.968
0	UTC-Lygus	12	A B C	3.51	-1.71	1	0	UTC - UTC	0	A	3.59	-1.57	0.984
5DAT5	UA-EXP32r1**	13	A B C	2.86	-1.06	0.944	13DAT3	V10170 r3	4	A	3.21	-1.95	1
5DAT3	BAS320r2	8	A B C	2.56	-0.76	0.619	13DAT5	UA-EXP32r2**	14	A	3.21	-1.95	1
5DAT3	V10170 r3	4	A B C	2.52	-0.72	0.571	13DAT3	VydateCLV	10	A	3.01	-2.15	1
5DAT3	O97+X77	11	A B C	2.45	-0.65	0.48	13DAT3	O97+X77	11	A	2.86	-2.3	1
5DAT3	BAS320+PPr1	7	B C	2.36	-0.56	0.377	0	UTC-Lygus	12	A	2.85	-2.31	1
5DAT3	Carbr1+170r1	5	C	2.23	-0.43	0.256	13DAT5	UA-EXP32r3**	15	A	2.65	-2.11	1
5DAT5	UA-EXP32r4**	16	C	2.16	-0.36	0.202	13DAT3	Carbine r2	2	A	2.36	-1.82	1
5DAT3	VydateCLV	10	C	2.16	-0.36	0.202	13DAT5	UA-EXP32r1**	13	A	2.36	-1.82	1
5DAT3	BAS320+PPr2	9	C	2.07	-0.27	0.146	13DAT4	UA-EXP32r6**	18	A	2.16	-1.62	0.992
5DAT5	UA-EXP32r5**	17	C	1.87	-0.07	0.067	13DAT3	BAS320r2	8	A	2.07	-1.53	0.978
5DAT3	Carbine r2	2	C	1.58	0.219	0.019	13DAT5	UA-EXP32r4**	16	A	1.87	-1.33	0.89
5DAT3	Carbr2+170r2	3	C	1.58	0.219	0.019	13DAT3	Carbr2+170r2	3	A	1.58	-1.04	0.639
5DAT5	UA-EXP32r3**	15	C	1.58	0.219	0.019	13DAT5	UA-EXP32r5**	17	A	1.58	-1.04	0.639
5DAT4	UA-EXP32r6**	18	C	1.58	0.219	0.019	13DAT3	BAS320+PPr2	9	A	1.58	-1.04	0.639
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

10-Sep							18-Sep						
A/100	Treatment	Trt No.		Mean	Dif LSD	P	A/100	Treatment	Trt No.		Mean	Dif LSD	P
0	UTC - UTC	0	A	4.63	-1.31	0.962	0	UTC - UTC	0	A	4.34	0.103	0.033
0	UTC-Lygus	12	A B	3.89	-2.05	1	13DAT3	BAS320r1	6	A B	3.36	-0.88	0.67
5DAT3	BAS320+PPr1	7	A B	3.56	-1.73	1	13DAT3	V10170 r3	4	A B	3.17	-1.07	0.876
5DAT3	BAS320r2	8	A B	3.15	-1.31	0.962	13DAT3	Carbr1+170r1	5	A B	2.86	-1.38	0.998
5DAT3	V10170 r3	4	A B	3.02	-1.19	0.89	13DAT3	BAS320+PPr2	9	A B	2.65	-1.59	1
5DAT3	O97+X77	11	A B	3.01	-1.17	0.881	13DAT3	BAS320+PPr1	7	A B	2.56	-1.68	1
5DAT5	UA-EXP32r1**	13	A B	3.01	-1.17	0.881	13DAT5	UA-EXP32r2**	14	A B	2.36	-1.88	1
5DAT5	UA-EXP32r2**	14	A B	2.95	-1.11	0.831	13DAT3	VydateCLV	10	A B	2.36	-1.88	1
5DAT3	BAS320r1	6	A B	2.81	-0.97	0.689	0	UTC-Lygus	12	A B	2.36	-1.88	1
5DAT3	VydateCLV	10	A B	2.81	-0.97	0.689	13DAT5	UA-EXP32r4**	16	A B	2.16	-1.68	1
5DAT4	UA-EXP32r6**	18	A B	2.65	-0.81	0.514	13DAT5	UA-EXP32r1**	13	A B	2.16	-1.68	1
5DAT3	Carbine r2	2	A B	2.56	-0.72	0.424	13DAT3	Carbr2+170r2	3	A B	2.07	-1.59	1
5DAT3	Carbr2+170r2	3	A B	2.52	-0.69	0.389	13DAT3	Carbine r2	2	A B	2.07	-1.59	1
5DAT5	UA-EXP32r5**	17	A B	2.45	-0.61	0.327	13DAT3	O97+X77	11	B	1.87	-1.39	0.998
5DAT5	UA-EXP32r4**	16	A B	2.36	-0.52	0.259	13DAT5	UA-EXP32r3**	15	B	1.87	-1.39	0.998
5DAT3	BAS320+PPr2	9	A B	2.16	-0.32	0.147	13DAT4	UA-EXP32r6**	18	B	1.87	-1.39	0.998
5DAT5	UA-EXP32r3**	15	B	1.87	-0.03	0.057	13DAT5	UA-EXP32r5**	17	B	1.58	-1.1	0.903
5DAT3	Carbr1+170r1	5	B	1.87	-0.03	0.057	13DAT3	BAS320r2	8	B	1.58	-1.1	0.903
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

10-Sep							18-Sep						
T/100	Treatment	Level		Mean	Abs(Dif)-LSD	p-Value	T/100	Treatment	Trt No.		Mean	Dif - LSD	P
0	UTC - UTC	0	A	6.3	-0.98	0.57	0	UTC - UTC	0	A	5.48	-0.71	0.255
5DAT3	BAS320r1	6	A	5.01	-2.27	1	13DAT3	BAS320r1	6	A	5.17	-1.02	0.443
0	UTC-Lygus	12	A	4.94	-2.34	1	13DAT3	Carbr1+170r1	5	A	4.47	-1.72	0.934
5DAT5	UA-EXP32r2**	14	A	4.49	-1.89	1	13DAT3	V10170 r3	4	A	4.2	-1.98	0.993
5DAT3	BAS320+PPr1	7	A	3.95	-1.34	0.884	13DAT3	BAS320+PPr1	7	A	4.18	-2.01	0.995
5DAT3	BAS320r2	8	A	3.88	-1.27	0.834	13DAT5	UA-EXP32r2**	14	A	3.76	-2.42	1
5DAT5	UA-EXP32r1**	13	A	3.82	-1.21	0.783	13DAT3	VydateCLV	10	A	3.4	-2.79	1
5DAT3	V10170 r3	4	A	3.8	-1.19	0.767	0	UTC-Lygus	12	A	3.37	-2.81	1
5DAT3	O97+X77	11	A	3.51	-0.91	0.497	13DAT3	O97+X77	11	A	2.99	-2.43	1
5DAT3	VydateCLV	10	B	3.15	-0.54	0.23	13DAT5	UA-EXP32r3**	15	A	2.85	-2.29	1
5DAT5	UA-EXP32r4**	16	B	2.85	-0.24	0.104	13DAT5	UA-EXP32r1**	13	A	2.72	-2.16	0.999
5DAT4	UA-EXP32r6**	18	B	2.65	-0.04	0.057	13DAT3	Carbine r2	2	A	2.72	-2.16	0.999
5DAT5	UA-EXP32r5**	17	B	2.65	-0.04	0.057	13DAT3	BAS320+PPr2	9	A	2.65	-2.09	0.998
5DAT3	Carbine r2	2	B	2.56	0.046	0.043	13DAT5	UA-EXP32r4**	16	A	2.45	-1.89	0.982
5DAT3	BAS320+PPr2	9	B	2.52	0.084	0.038	13DAT4	UA-EXP32r6**	18	A	2.45	-1.89	0.982
5DAT3	Carbr2+170r2	3	B	2.52	0.084	0.038	13DAT3	BAS320r2	8	A	2.07	-1.51	0.822
5DAT3	Carbr1+170r1	5	B	2.37	0.233	0.023	13DAT3	Carbr2+170r2	3	A	2.07	-1.51	0.822
5DAT5	UA-EXP32r3**	15	C	1.87	0.734	0.004	13DAT5	UA-EXP32r5**	17	B	1.58	-1.03	0.449
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.													

Table 6a. Separation tests for log-transformed seasonal Lygus means (mean of 5 weeks), Dunnett's T & Tukey's HSD (P < 0.05).

Seasonal (average of 5 sampling dates)							Seasonal (average of 5 sampling dates)								
S/100	Treatment	Trt No.			T (var)	Dif - LSD	P	N/100	Treatment	Trt No.			T (var)	Dif - LSD	P
3 sprays	BAS320r1	6 A			2.39	-0.58	0.807	0 sprays	UTC - UTC	0 A			3.122	-0.82	1
0 sprays	UTC - UTC	0 A B			2.237	-0.73	0.981	3 sprays	BAS320r1	6 A B			2.939	-1	1
3 sprays	VydateCLV	10 A B C			2.167	-0.8	0.998	0 sprays	UTC-Lygus	12 A B			2.921	-1.02	1
3 sprays	Carbr1+170r1	5 A B C			2.014	-0.96	1	3 sprays	Carbr1+170r1	5 A B C			2.645	-0.74	0.997
3 sprays	O97+X77	11 A B C			1.987	-0.98	1	3 sprays	O97+X77	11 A B C D			2.584	-0.68	0.98
3 sprays	BAS320+PPr1	7 A B C			1.895	-1.07	1	5 sprays	UA-EXP32r2**	14 A B C D			2.57	-0.66	0.972
5 sprays	UA-EXP32r2**	14 A B C			1.892	-1.08	1	3 sprays	BAS320+PPr1	7 A B C D			2.556	-0.65	0.962
0 sprays	UTC-Lygus	12 A B C			1.876	-1.09	1	3 sprays	VydateCLV	10 A B C D E			2.389	-0.48	0.693
4 sprays	UA-EXP32r6**	18 A B C			1.697	-0.92	1	5 sprays	UA-EXP32r1**	13 A B C D E			2.305	-0.4	0.51
5 sprays	UA-EXP32r1**	13 A B C			1.624	-0.84	1	3 sprays	BAS320+PPr2	9 A B C D E			2.114	-0.21	0.195
3 sprays	BAS320+PPr2	9 A B C			1.616	-0.83	0.999	3 sprays	V10170 r3	4 A B C D E			2.028	-0.12	0.116
3 sprays	Carbine r2	2 A B C			1.509	-0.73	0.978	3 sprays	Carbine r2	2 A B C D E			1.913	0	0.053
5 sprays	UA-EXP32r3**	15 A B C			1.509	-0.73	0.978	4 sprays	UA-EXP32r6**	18 A B C D E			1.87	0.036	0.038
3 sprays	V10170 r3	4 A B C			1.386	-0.6	0.849	5 sprays	UA-EXP32r3**	15 B C D E			1.865	0.04	0.037
3 sprays	BAS320r2	8 A B C			1.157	-0.37	0.407	3 sprays	BAS320r2	8 B C D E			1.782	0.123	0.02
5 sprays	UA-EXP32r5**	17 A B C			1.096	-0.31	0.31	5 sprays	UA-EXP32r4**	16 C D E			1.57	0.336	0.003
3 sprays	Carbr2+170r2	3 B C			0.931	-0.15	0.128	5 sprays	UA-EXP32r5**	17 D E			1.374	0.531	0
5 sprays	UA-EXP32r4**	16 C			0.843	-0.06	0.075	3 sprays	Carbr2+170r2	3 E			1.239	0.666	0
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															
Seasonal (average of 5 sampling dates)							Seasonal (average of 5 sampling dates)								
L/100	Treatment	Trt No.			T (var)	Dif - LSD	P	A/100	Treatment	Trt No.			T (var)	Dif - LSD	P
0 sprays	UTC - UTC	0 A			2.635	-0.84	1	0 sprays	UTC - UTC	0 A			3.454	-0.01	0.055
0 sprays	UTC-Lygus	12 A B			2.482	-1	1	3 sprays	BAS320r1	6 A B			3.072	-0.39	0.691
3 sprays	BAS320r1	6 A B C			2.161	-0.67	0.985	3 sprays	O97+X77	11 A B			3.057	-0.41	0.73
3 sprays	Carbr1+170r1	5 A B C			2.004	-0.52	0.786	5 sprays	UA-EXP32r2**	14 A B			3.01	-0.45	0.844
5 sprays	UA-EXP32r2**	14 A B C			1.979	-0.49	0.733	3 sprays	Carbr1+170r1	5 A B			2.901	-0.56	0.986
3 sprays	BAS320+PPr1	7 A B C D			1.922	-0.44	0.606	3 sprays	BAS320+PPr1	7 A B			2.849	-0.62	0.998
3 sprays	O97+X77	11 A B C D			1.895	-0.41	0.546	3 sprays	VydateCLV	10 A B			2.721	-0.74	1
5 sprays	UA-EXP32r1**	13 A B C D E			1.782	-0.3	0.325	0 sprays	UTC-Lygus	12 A B			2.638	-0.83	1
3 sprays	V10170 r3	4 A B C D E			1.53	-0.04	0.068	3 sprays	Carbine r2	2 A B			2.638	-0.83	1
3 sprays	BAS320+PPr2	9 A B C D E			1.428	0.058	0.032	3 sprays	Carbr2+170r2	3 A B			2.601	-0.79	1
3 sprays	BAS320r2	8 B C D E			1.32	0.166	0.013	5 sprays	UA-EXP32r1**	13 A B			2.576	-0.76	1
5 sprays	UA-EXP32r4**	16 C D E			1.223	0.263	0.006	3 sprays	BAS320+PPr2	9 A B			2.543	-0.73	1
3 sprays	Carbine r2	2 C D E			1.192	0.294	0.004	3 sprays	V10170 r3	4 A B			2.53	-0.72	1
3 sprays	VydateCLV	10 C D E			1.156	0.331	0.003	3 sprays	BAS320r2	8 A B			2.463	-0.65	1
5 sprays	UA-EXP32r3**	15 C D E			1.094	0.392	0.002	4 sprays	UA-EXP32r6**	18 B			2.36	-0.55	0.978
5 sprays	UA-EXP32r5**	17 D E			0.696	0.79	0	5 sprays	UA-EXP32r3**	15 B			2.322	-0.51	0.942
3 sprays	Carbr2+170r2	3 E			0.625	0.862	0	5 sprays	UA-EXP32r5**	17 B			2.29	-0.48	0.891
4 sprays	UA-EXP32r6**	18 E			0.598	0.889	0	5 sprays	UA-EXP32r4**	16 B			2.142	-0.33	0.521
Color-coded timings indicate best head-to-head treatment comparisons; I.e., treatments sprayed during same weeks															
Blue-colored treatments are significantly different from the UTC-Lygus (Trt No. 12), Dunnett's, P < 0.05.															

Table 6b. Separation tests for yield & ginning parameters, Dunnett's T & Tukey's HSD

24-Oct													
sdctn/A	Treatment	Trt No.									Mean	Dif LSD	P
5 sprays	UA-EXP32r5**	17	A								4733	1761	0
5 sprays	UA-EXP32r4**	16	A	B							4480	1508	0
5 sprays	UA-EXP32r3**	15	A	B	C						4360	1388	0
4 sprays	UA-EXP32r6**	18	A	B	C						4218	1246	0
3 sprays	BAS320+PPr2	9	A	B	C	D					3715	743.2	0
3 sprays	BAS320r2	8	A	B	C	D	E				3606	634.3	0
5 sprays	UA-EXP32r2**	14	A	B	C	D	E				3521	548.4	0
3 sprays	V10170 r3	4		B	C	D	E	F			3292	320.1	0.004
3 sprays	BAS320+PPr1	7		B	C	D	E	F			3278	305.5	0.004
5 sprays	UA-EXP32r1**	13		B	C	D	E	F			3276	303.4	0.004
3 sprays	Carbine r2	2		B	C	D	E	F			3257	284.5	0.005
3 sprays	Carbr1+170r1	5			C	D	E	F	G		3150	177.7	0.013
3 sprays	VydateCLV	10			C	D	E	F	G		3139	167.2	0.014
3 sprays	Carbr2+170r2	3				D	E	F	G		2941	-31.7	0.063
3 sprays	BAS320r1	6					E	F	G		2421	?	0.822
3 sprays	O97+X77	11						F	G	H	2111	-861	1
0 sprays	UTC-Lygus	12							G	H	1948	-1024	1
0 sprays	UTC - UTC	0								H	881.9	41.54	0.037

Color-coded timings indicate best head-to-head treatment comparisons; sprayed same weeks

Blue-colored treatments are significantly different from the UTC-Lygus, Dunnett's, P < 0.05.

24-Oct														
bales/A	Treatment	Trt No.									Mean	Dif LSD	P	
5 sprays	UA-EXP32r5**	17	A								3.281	1.269	0	
5 sprays	UA-EXP32r3**	15	A	B							3.085	1.073	0	
5 sprays	UA-EXP32r4**	16	A	B	C						2.89	0.878	0	
4 sprays	UA-EXP32r6**	18	A	B	C	D					2.842	0.83	0	
3 sprays	BAS320+PPr2	9	A	B	C	D	E				2.532	0.52	0	
3 sprays	Carbine r2	2		B	C	D	E	F			2.313	0.301	0.001	
5 sprays	UA-EXP32r2**	14		B	C	D	E	F			2.29	0.278	0.002	
3 sprays	BAS320r2	8		B	C	D	E	F			2.281	0.269	0.002	
3 sprays	BAS320+PPr1	7		B	C	D	E	F			2.269	0.257	0.003	
3 sprays	V10170 r3	4		B	C	D	E	F	G		2.22	0.207	0.005	
5 sprays	UA-EXP32r1**	13			C	D	E	F	G	H	2.137	0.125	0.013	
3 sprays	Carbr1+170r1	5			C	D	E	F	G	H	2.109	0.096	0.018	
3 sprays	Carbr2+170r2	3				D	E	F	G	H	1.963	-0.05	0.082	
3 sprays	VydateCLV	10					E	F	G	H	1.949	-0.06	0.093	
3 sprays	BAS320r1	6						F	G	H	1.583	-0.43	0.914	
3 sprays	O97+X77	11							G	H	I	1.349	-0.66	1
0 sprays	UTC-Lygus	12								H	I	1.29	-0.72	1
0 sprays	UTC - UTC	0								I	0.572	0	0.052	

Color-coded timings indicate best head-to-head treatment comparisons; sprayed same weeks

Blue-colored treatments are significantly different from the UTC-Lygus, Dunnett's, P < 0.05.

24-Oct																	
%T.O.	Treatment	Trt No.									Mean	Dif LSD	P				
5 sprays	UA-EXP32r3**	15	A								0.339	-0.01	0.442				
3 sprays	Carbine r2	2	A								0.338	-0.01	0.47				
5 sprays	UA-EXP32r5**	17	A								0.333	-0.02	0.798				
3 sprays	BAS320+PPr1	7	A								0.331	-0.02	0.901				
3 sprays	BAS320+PPr2	9	A								0.324	-0.03	1				
4 sprays	UA-EXP32r6**	18	A								0.323	-0.03	1				
3 sprays	V10170 r3	4	A								0.323	-0.03	1				
3 sprays	Carbr1+170r1	5	A								0.322	-0.03	1				
3 sprays	Carbr2+170r2	3	A								0.319	-0.03	1				
0 sprays	UTC-Lygus	12	A								0.317	-0.03	1				
3 sprays	BAS320r1	6	A								0.314	-0.03	1				
5 sprays	UA-EXP32r1**	13	A								0.313	-0.03	1				
5 sprays	UA-EXP32r2**	14	A								0.312	-0.03	1				
0 sprays	UTC - UTC	0	A								0.312	-0.03	1				
5 sprays	UA-EXP32r4**	16	A								0.309	-0.03	0.999				
3 sprays	O97+X77	11	A								0.304	-0.02	0.922				
3 sprays	BAS320r2	8	A								0.303	-0.02	0.872				
3 sprays	VydateCLV	10	A								0.3	-0.02	0.682				

Color-coded timings indicate best head-to-head treatment comparisons; sprayed same weeks

Blue-colored treatments are significantly different from the UTC-Lygus, Dunnett's, P < 0.05.

24-Oct																	
%Trash	Treatment	Trt No.									Mean	Dif LSD	P				
0 sprays	UTC - UTC	0	A								0.128	-0.03	0.909				
3 sprays	BAS320r2	8	A	B							0.122	-0.04	0.993				
3 sprays	VydateCLV	10	A	B							0.112	-0.05	1				
0 sprays	UTC-Lygus	12	A	B							0.108	-0.05	1				
5 sprays	UA-EXP32r4**	16	A	B							0.103	-0.04	1				
3 sprays	O97+X77	11	A	B							0.102	-0.04	1				
5 sprays	UA-EXP32r2**	14	A	B							0.101	-0.04	1				
3 sprays	Carbr2+170r2	3	A	B							0.101	-0.04	1				
5 sprays	UA-EXP32r1**	13	A	B							0.1	-0.04	1				
3 sprays	BAS320r1	6	A	B							0.09	-0.03	0.972				
3 sprays	V10170 r3	4	A	B							0.09	-0.03	0.966				
5 sprays	UA-EXP32r5**	17	A	B							0.089	-0.03	0.951				
3 sprays	Carbr1+170r1	5	A	B							0.088	-0.03	0.92				
3 sprays	BAS320+PPr2	9	A	B							0.087	-0.03	0.911				
4 sprays	UA-EXP32r6**	18	A	B							0.086	-0.03	0.871				
3 sprays	BAS320+PPr1	7	A	B							0.083	-0.02	0.732				
3 sprays	Carbine r2	2	A	B							0.076	-0.02	0.462				
5 sprays	UA-EXP32r3**	15		B							0.066	0	0.156				

Color-coded timings indicate best head-to-head treatment comparisons; sprayed same weeks

Blue-colored treatments are significantly different from the UTC-Lygus, Dunnett's, P < 0.05.

24-Oct													
% Lint	Treatment	Trt No.									Mean	Dif LSD	P
3 sprays	Carbine r2	2	A								0.366	-0.01	0.858
5 sprays	UA-EXP32r5**	17	A								0.365	-0.01	0.91
5 sprays	UA-EXP32r3**	15	A								0.363	-0.02	0.993
3 sprays	BAS320+PPr1	7	A								0.361	-0.02	1
0 sprays	UTC - UTC	0	A								0.358	-0.02	1
0 sprays	UTC-Lygus	12	A								0.356	-0.02	1
3 sprays	V10170 r3	4	A								0.355	-0.02	1
3 sprays	BAS320+PPr2	9	A								0.355	-0.02	1
3 sprays	Carbr2+170r2	3	A								0.354	-0.02	1
4 sprays	UA-EXP32r6**	18	A								0.353	-0.02	1
3 sprays	Carbr1+170r1	5	A								0.353	-0.02	1
5 sprays	UA-EXP32r2**	14	A								0.347	-0.02	0.969
5 sprays	UA-EXP32r1**	13	A								0.347	-0.02	0.966
3 sprays	BAS320r1	6	A								0.346	-0.01	0.884
3 sprays	BAS320r2	8	A								0.345	-0.01	0.846
5 sprays	UA-EXP32r4**	16	A								0.344	-0.01	0.778
3 sprays	O97+X77	11	A								0.338	0	0.278
3 sprays	VydateCLV	10	A								0.337	0	0.216
Color-coded timings indicate best head-to-head treatment comparisons; sprayed same weeks													
Blue-colored treatments are significantly different from the UTC-Lygus, Dunnett's, P < 0.05.													