

MGPLEC03FaPhys

Site	Date	Depth m	Time	Temp C	Sp Cond uS/cm	pH	DO % sat	DO mg/L	ORP mv
MGPLEC	112603	-25.2	115850	15.84	1008	7.96	59.5	4.83	92
MGPLEC	112603	-23.1	120019	16.28	1006	7.98	62.1	4.99	86
MGPLEC	112603	-20.9	120101	16.65	1001	8.02	65.2	5.2	94
MGPLEC	112603	-18.9	120144	16.7	1001	8.01	65.5	5.22	99
MGPLEC	112603	-17.1	120220	16.71	1001	8.02	65.9	5.25	101
MGPLEC	112603	-15	120300	16.72	1001	8.02	66.2	5.28	104
MGPLEC	112603	-12.7	120419	16.73	1000	8.01	66.3	5.28	107
MGPLEC	112603	-11	120504	16.74	1000	8.01	66.5	5.29	109
MGPLEC	112603	-9	120606	16.77	1000	8	66.3	5.28	111
MGPLEC	112603	-7	120656	16.77	1000	7.99	66.5	5.29	112
MGPLEC	112603	-5	120759	16.78	1000	7.98	66.4	5.29	114
MGPLEC	112603	-3	120904	16.79	1000	8	67.2	5.34	114
MGPLEC	112603	-2.1	121035	16.82	1000	8.01	67.6	5.37	115
MGPLEC	112603	-0.8	121121	17.01	1001	8.02	68.5	5.43	114
MGPLEC	112603	-0.4	121202	17.05	1001	8.05	68.9	5.45	113
MGPLEC	112603	0	121407	17.05	1001	8.01	69.3	5.48	115