

MGPLEC03SuPhys

Site	Date	Depth m	Time	Temp C	Sp Cond uS/cm	pH	DO % sat	DO mg/L	ORP mv
MGPLEC	080503	-0.1	141442	30.6	1040	8.49	105.7	6.48	69
MGPLEC	080503	-0.5	141353	30.67	1038	8.5	102.6	6.28	69
MGPLEC	080503	-0.9	141300	30.65	1039	8.5	103.2	6.32	68
MGPLEC	080503	-1.5	141219	30.13	1038	8.49	103.8	6.41	68
MGPLEC	080503	-2.4	141108	29.98	1040	8.52	104.1	6.45	63
MGPLEC	080503	-4.3	141004	29.45	1035	8.52	104.1	6.51	59
MGPLEC	080503	-5.8	140929	29.39	1034	8.52	103	6.45	56
MGPLEC	080503	-7.4	140843	28.56	1032	8.45	96.8	6.15	54
MGPLEC	080503	-8.6	140752	27.88	1031	8.37	97.5	6.27	48
MGPLEC	080503	-10.2	140640	25.03	1020	7.91	57.4	3.89	51
MGPLEC	080503	-11.5	140342	22.02	1023	7.41	7.1	0.51	-68
MGPLEC	080503	-13.1	140246	19.62	1020	7.35	2	0.15	-138
MGPLEC	080503	-13.9	140212	17.59	1015	7.35	2.4	0.19	-148
MGPLEC	080503	-16.3	140116	16.87	1013	7.33	1.9	0.15	-165
MGPLEC	080503	-17.9	140026	16.25	1011	7.32	2	0.16	-180
MGPLEC	080503	-19.6	135946	15.98	1011	7.32	2	0.16	-179
MGPLEC	080503	-21.4	135910	15.72	1010	7.32	2.6	0.21	-173
MGPLEC	080503	-23.1	135834	15.62	1010	7.32	2.6	0.21	-169
MGPLEC	080503	-24.9	135753	15.47	1010	7.31	2.6	0.21	-162
MGPLEC	080503	-27.3	135650	15.32	1010	7.3	2.6	0.21	-148
MGPLEC	080503	-29	135604	15.03	1010	7.3	2.6	0.21	-128
MGPLEC	080503	-31.5	135501	14.73	1012	7.29	3.8	0.31	-64