

SRROOA03WiPhys

Site	Date	Depth m	Time	Temp C	Sp Cond uS/cm	pH	DO % sat	DO mg/L	ORP mv	Turbidity NTU
SRROOA	030603	-23.6	121000	11.02	2957	7.75	16.8	1.92	76	15.3
SRROOA	030603	-21.7	121200	11	2964	8.05	21.8	2.48	72	
SRROOA	030603	-19.7	121500	11.04	2966	8.59	26.3	2.88	85	
SRROOA	030603	-17.9	121600	11.04	2965	8.6	27.4	2.99	89	
SRROOA	030603	-16	121600	11.05	2961	8.61	27.1	2.93	91	
SRROOA	030603	-14.3	121700	11.07	2962	8.62	28.2	3.11	93	
SRROOA	030603	-12.7	121800	11.1	2953	8.66	31.2	3.37	95	
SRROOA	030603	-10.7	121900	11.29	2916	8.76	39.2	4.26	94	
SRROOA	030603	-8.9	122000	11.74	2821	9.01	60.7	6.53	90	
SRROOA	030603	-6.9	122000	12.11	2674	9.16	77.6	8.32	88	
SRROOA	030603	-5.1	122100	12.06	2587	9.18	81.5	8.71	89	
SRROOA	030603	-3.4	122200	12.14	2556	9.2	82.9	8.76	89	
SRROOA	030603	-1.6	122300	12.27	2515	9.26	87.6	9.34	90	
SRROOA	030603	0	122300	13.96	2489	9.32	103.2	10.55	88	14.7